

ELITE CLEANER

Material Safety Data Sheet

24-HOUR CHEMICAL EMERGENCIES SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 (Outside US 703-527-3887)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION						
PRODUCT	NAME:	ELITE C	ELITE CLEANER			
PRODUCT	USE:	Cleaner				
MANUFAC	CTURE /S UPP	LIER: OMNI Sealers, Inc.				
Address:		22362 Gilberto Street, Suite 215				
		Rancho	Santa Margarita	a, CA 92688		
PHONE:		949-709-5270				
		N 2: HAZARDOUS I		-		
NFPA 704 (nimal, 1=Slight, 2=Mod				
	Health	Flammability	Reactivity	Clothing		
	(blue)	(red)	(yellow)			
NFPA	1	0	0	В		
HMIS	1	0	0	В		
	CY OVERVIEW					
		se Eye Irritation – N	AAY CAUSE SKIN I	RRITATION		
LIKELY RO	UTES OF EXP					
EYE:		May cause eye irritation. Seek medical				
		attention.				
SKIN:		May cause skin irritation. Seek medical				
		attention.				
INHALATIC	ON:	May cause irritation to upper respiratory				
		tract. Seek medical attention.				
INGESTION	N:	May be harmful if swallowed. Do not take				
		internally. Seek n				
SIGNS & S	SYMPTOMS:	Eye discomfort or pain, excessive blinking				
		and tear production with marked redness				
		and swelling. Skin redness, edema, drying				
		or cracking. Stomach distress, nausea or				
		vomiting.				
CHRONIC I	EFFECTS:	Repeated prolonged contact may dry skin				
-		and cause irritation.				
OTHER EFFECTS:		May aggravate preexisting skin, eye and				
	-	respiratory condi				
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS						

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS #	% By Wgt*
Carbonic Acid, Calcium Salt	471-34-1	<65%
Organic Surfactants	73138-27-9	<8%
	68585-34-2	
	27176-87-0	
Propylene Glycol N-Propyl	1569-01-3	<7%
Ether		
Trace Chemical Including	64-17-5	<7%
Solvents, Preservatives and	7664-93-9	
Acids		
Phosphates and Sulfates	7320-34-5	<4%
as Binders	7727-73-3	
Thixotropic Agent	9003-01-4	<1%
Water	7732-18-5	Balance

* The concentrations shown with this product are maximum levels (Wgt %) to be used for regulatory calculations.

SECTION 4: FIRST AID MEASURES					
EYE CONTACT:	Immediately flush eyes with plenty of water				
	for at least 15 minutes. If irritation or adverse				
	symptoms occur, seek medical attention.				
SKIN CONTACT:	If irritation occurs, wash off immediately with				
	soap and plenty of water. If irritation or				
	adverse symptoms occur, seek medical				
	attention. Wash clothes before re-use.				
INHALATION:	Remove to fresh air. If breathing is difficult,				
hieranon	seek immediate medical attention.				
INGESTION:	Do not induce vomiting unless directed by a physician. Drink large quantities of water. If				
	physician. Drink large quantities of water. If irritation or adverse symptoms occur seek				
	medical attention.				
GENERAL ADVICE:	If adverse symptoms persist or in all cases of				
GENERAL ADVICE.	doubt, seek medical attention. Symptoms				
	may not appear immediately.				
SECTI	ON 5: FIRE FIGHTING MEASURES				
FLAMMABILITY:	Not flammable by OSHA/WHMIS criteria.				
FLAWIWADILI II	Does not support combustion.				
MEANS OF	Use extinguishing measures that are				
EXTINCTION:	appropriate to local circumstances and the				
	surrounding environment.				
PRODUCT OF	May include, but not limited to				
COMBUSTION:	the surface active components and their				
	decomposition products. These materials				
	should be considered irritants.				
EXPLOSION DATA:	Not considered an explosive hazard.				
FIREFIGHTING DATA:	Keep upwind of fire. Wear self-contained				
	breathing apparatus and full protective				
	clothing. Heated closed containers may burst				
r	due to steam pressure. Cool with water.				
SECTION	6: ACCIDENTAL RELEASE MEASURES				
ENVIRONMENTAL:	Use caution as surfaces may be slippery. Keep				
-	out of drains, sewers, ditches and waterways.				
CONTAINMENT:	Use inert material to dike/absorb.				
CLEAN-UP:	Transfer material to suitable containers for				
OTUEN.	disposal.				
OTHER:	Contact CHEMTREC 800-424-9300.				
	ON 7: HANDLING AND STORAGE				
	al handling is required under normal use. Avoid vith skin, eyes and clothing. Do not ingest.				
	naling vapors and mists. Handle in well				
	d areas. Wash hands after handling this				
	and before eating or smoking. Appropriate				
	e clothing necessary to prevent repeated or				
•	d skin contact should be worn. Skin contact				
	e minimized by wearing suitable gloves.				
	boots should be worn where spills or				
	can occur. Wash hands and other				
contamir	nated areas thoroughly with soap and water				
	after handling this product and before eating or				
smoking.	smoking. Wash contaminated clothing thoroughly				
before re					
•	: of reach of Children. Store in original				
containe	r only and close after each use. Temperature				

container only and close after each use. Temperature should be between 40° F and 100° F (4° C and 38° C). Shelf-life expected to be at least 1 year.

	SURE CON	TROL / PERSONAL PROTECTION					
EXPOSURE LIMITS:		Not Dotorroite ad					
	OSHA-PEI						
ENGINEERING:							
LINGINGERING.	Use ventilation adequate to keep exposures below recommended exposure						
	limits.						
EYE PROTECTION:	Wear eye/face protection.						
HAND PROTECTION:	Wear suitable gloves.						
SKIN PROTECTION:	Wear suitable protective clothing.						
RESPIRATORY:							
	equipmer						
GENERAL HYGIENE:	Handle according to established industrial						
	hygiene and safety practices.						
SECTION 9: P	PHYSICAL A	ND CHEMICAL PROPERTIES					
APPEARANCE:		Viscous Liquid					
COLOR:		Off White					
ODOR:		Slight Rosemary Herb					
PHYSICAL STATE		Liquid 11					
PH (TYPICAL): VISCOSITY:		11 Not Determined					
FREEZING POINT:		<32°F, 0°C					
FREEZING POINT: BOILING POINT:		Not Determined					
FLASH POINT:		Not Determined					
EVAPORATION RATE:		Not Determined					
VAPOR PRESSURE:		Not Determined					
DENSITY:		Not Determined					
SPECIFIC GRAVITY (H2	0)=1):	Not Determined					
SOLUBILITY IN WATER,	, BY WEIGHT						
PERCENT VOLATILE BY		<15.0%					
PERCENT VOLATILE BY		Not Determined					
	-	VOC CONTENT BY WEIGHT: <50 g/l					
SECTION 10: STABILITY AND REACTIVITY							
STABILITY: CONDITIONS TO AVOID		Stable under normal conditions.					
STABILITY:):						
STABILITY: CONDITIONS TO AVOID):	Stable under normal conditions. Avoid temps. $<40^{\circ}$ F and $> 100^{\circ}$ F.					
STABILITY: CONDITIONS TO AVOID): IIALS:	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to					
STABILITY: Conditions to Avoid Incompatible Mater): IIALS:	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides,					
STABILITY: Conditions to Avoid Incompatible Mater Hazardous Decompo Products:	D: NALS: DSITION	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia.					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR	D: NALS: DSITION	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS:): HALS: DSITION DOUS	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions.					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION	D: HALS: DSITION DOUS	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS:	o: MALS: DSITION DOUS I 11: TOXIC Minimize	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION	o: DIALS: DOISTION DOUS I 11: TOXIC Minimize include di	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION	o: INALS: DOINTION DOUS I 11: TOXIC Minimize include di and tear p	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION	o: INALS: DOINTION DOUS I 11: TOXIC Minimize include di and tear p and swell	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE:	o: INALS: DOSITION DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention.					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE:	o: INALS: DOSITION DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize skin. Sym	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE:	o: INALS: DOUS DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse s	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	o: ITALS: DOUS DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse si attention.	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE:	DOUS DOUS DOUS DOUS DOUS DOUS DOUS DOUS	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	DE CONTRON DE CON	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	DE CONTRON DE CON	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	DOUS THE TOXIC MINIMIZE INCLUDE DI MINIMIZE INCLUDE DI AND TOXIC MINIMIZE SKIN. SYM EDEMIA ADVERSES ATTENTION May be have internally distress, r attention.	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	c: IALS: DSITION DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse s attention. May be have internally distress, r attention. May be and May be an	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN:	c: IALS: DSITION DOUS I 11: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse s attention. May be have internally distress, r attention. May be and May be an	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN: INGESTION: INHALATION:	DECUS TALS: DOUS DOUS DOUS DOUS DOUS DIT: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse s' attention. May be ha internally distress, r attention. May be an breathing attention.	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical mupper respiratory irritant. Avoid vapors or mist. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN: INGESTION: INHALATION:	DECUS TALS: DOUS DOUS DOUS DOUS DOUS DIT: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse si attention. May be ha internally distress, r attention. May be an breathing attention. None of t	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN: INGESTION: INHALATION:	DECUS TALS: DOUS DOUS DOUS DOUS DOUS DIT: TOXIC Minimize include di and tear p and swell Minimize skin. Sym edema, di adverse si attention. May be ha internally distress, r attention. May be an breathing attention. None of t found on	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical mupper respiratory irritant. Avoid vapors or mist. Seek medical					
STABILITY: CONDITIONS TO AVOID INCOMPATIBLE MATER HAZARDOUS DECOMPO PRODUCTS: POSSIBILITY OF HAZAR REACTIONS: SECTION EYE: SKIN: INGESTION: INHALATION:	Deus Thinkis: Dous Thinimize Include di and tear p and swell Minimize skin. Sym edema, di adverse si attention. May be ha internally distress, r attention. May be an breathing attention. None of t found on carcinoge	Stable under normal conditions. Avoid temps. <40° F and > 100°F. May react to aluminum, magnesium and oxidizers. May include, but not limited to carbon oxide, sulfur oxides, nitrogen oxides and ammonia. No dangerous known under normal conditions. COLOGY INFORMATION eye contact. Symptoms may scomfort/pain, excessive blinking production with marked redness ing. Seek medical attention. skin contact. Minimal effect on otoms may include redness, rying and cracking. If irritation or ymptoms occur, seek medical armful if swallowed. Do not take . Symptoms may include stomach nausea or vomiting. Seek medical mupper respiratory irritant. Avoid vapors or mist. Seek medical he product's ingredients are any lists of hazardous,					

SECTION 12: ECOLOGICAL INFORMATION

The product is biodegradable and non-toxic to sewage organism with dilution.

SECTION 13: DISPOSAL CONSIDERATIONS

The product is biodegradable and non-hazardous. Small quantities may be flushed to a sanitary or industrial sewer. Disposal of large quantities should be in accordance with all local, state and federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

SECTION 1	4: TRANSPORTATIO			
DOT SHIPPING NAME	(49CFR 172.101):	Non-Regulated Liquid,		
		NOS Water-Based		
		Mixture of Surfactants.		
DOT ID# (49CFR 17	72.101):	Non-Regulated		
DOT HAZARD CLASS:		Non-Flammable		
		Liquid, NOS		
MARKING:		None Required		
LABEL:		None Required		
PLACARD:		None Required		
HAZARD (29 CFR 19	Non-Flammable			
INTL. HARMONIC SYS	3402			
UN NUMBER		Not Applicable		
SECTION 15: REGULATORY INFORMATION				
FEDERAL:				
OSHA:	This product is non-hazardous under the			
	OSHA Hazard Con	nmunication Standard (29		
	CFR 1910-1200).			
TSCA:	The ingredients in this product are on the			
	TSCA inventory list and do not have special			
	toxic warning requirements.			
SARA TITLE III:	Contains no chemi	cal subject to SARA Title III		
<u>State</u>				
CA PROP. 65:		This product contains no listed substances		
		ld require a warning as a		
	product known to cause cancer, birth			
		eproductive harm.		
MA RIGHT-TO-KNOW	•	ains no listed substances		
at levels that require reporting per the				
	Substance List.			
PA RIGHT-TO-KNOW	•	ains no listed substances		
	•	at levels that require reporting per the		
	Hazardous Substa	nce List.		
Section 16: Other Information				
The information is believed to correct to the best of our				

The information is believed to correct to the best of our knowledge, information, and belief at the date of publication. The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information applies only to this specific material as supplied and may not be valid for such material used in combination with any other materials or in any processes.

All terms and abbreviations have been defined in various government publications, or are standard chemical terms used by IUPAC.