# SAFETY DATA SHEET



# Grout Haze Remover

SDS Preparation Date: 12/01/2021

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other

countries.

## **SECTION 1: PRODUCT AND COMPANY SECTION**

Product Name: OMNI Grout Haze Remover

Product Use: A buffered, acidic, restoration detergent liquid Manufacturer: Best of Everything (BOE)- OMNI Sealers

7390 Eastgate Rd, STE 130

Henderson, NV 89011

Product Information: 408-843-9888

Transport Emergency: VanHearron: (479) 255-6101

### **SECTION 2: HAZARD IDENTIFICATION**

Classification: Acute toxicity-Inhalation

(Dusts/Mists)-Category 4 Serious eye damage/eye irritation-Category 1 Corrosive to Metals-Category 1

Hazard Not Otherwise Classified: May be harmful if

swallowed Signal Word: Danger

Hazard Statements: Harmful if inhaled

Causes serious eye damage May be corrosive to metals

Label Content:



**Precautionary Statements** 

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in well

ventilated area. Wear protective gloves/protective clothing/eye protection/face

protection. Keep on in original container

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contacts lenses,

if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/physician.

Storage: Store in a well-ventilated place.

Disposal: Dispose of contents/container in accordance with applicable regulations.

Other Hazards: Harmful to aquatic life with long lasting effects.

### SECTION 3: COMPONENTS/INFORMATION ON INGREDIENTS

INGREDIENTSCAS NUMBERInhibited Acid SolutionProprietaryHydrogen Chloride7647-01-0

Specific chemical identity of this composition is being withheld as a trade secret.

#### **SECTION 4: FIRST AID MEASURES**

EMERGENCY FIRST AID PROCEDURES:

-EYE: Immediately flush eyes with running water for at least 15 minutes. Get immediate medical

attention.

-SKIN: Immediately flush skin with water for at least 15 minutes while removing contaminated

clothing. Wash with plenty of soap and water including hair and under fingernails. Do not apply any

medicating agents except on the advice from a physician. Get immediate medical attention.

-INHALATION: Move victim from contaminated area to fresh air. If not breathing, apply artificial

respiration, preferably by mechanical means. Avoid mouth to mouth resuscitation. If breathing is difficult,

give oxygen. Get immediate medical attention.

-INGESTION: Do not induce vomiting. If victim is fully conscious, give a large quantity of water. Contact a

physician, hospital or poison center immediately. Do not give anything by mouth to an unconscious person. To ensure airway is open, position with head lower than body and transport immediately to a medical

facility.

### **SECTION 5: FIREFIGHTING MEASURES**

FLASH POINT: > 200 F LOWER EXPLOSIVE LIMIT

(TAGLIABUE CLOSED CUP) UPPER EXPLOSIVE

LIMIT: N.D. AUTOIGNITION TEMPERATURE: N.D.

EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM

WATER FOG UNUSUAL FIRE

AND EXPOSION HAZARDS: None known.

SPECIAL FIREFIGHTING PROCEDURES: Wear full protective clothing and positive pressure, self-contained breathing apparatus (SCBA). Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated building, area and equipment until decontaminated. Product contains hydrochloric acid and can release hydrogen gas which may become flammable.

OTHER: Prolonged contact on certain metals could cause corrosion or etching to occur.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear chemical safety glasses with side shields or chemical goggles, rubber gloves, rubber boots, long-sleeved shirt, long pants and a NIOSH-approved chemical cartridge respirator with either P-100 or P-95 pre-filters or use a positive pressure self-contained breathing apparatus (SCBA). Cover and contain spill with an absorbent material such as pet litter, sand or vermiculite. Sweep up and place in an approved chemical container. Neutralize the spill area with an alkaline detergent solution, absorb with inert material, sweep up and place in a chemical container. Seal the container and handle in an approved manner. Flush the area with water to remove residue. Sweep powders carefully minimizing dusting. Place all spill and contaminated materials into chemical containers and follow disposal instructions. Cover and contain spill with absorbent and sweep up.

# WASTE DISPOSAL METHOD: Consult federal, state and local regulations in your area.

# **SECTION 7: HANDLING AND STORAGE**

HANDLING: Do not take internally. Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Avoid contact with eyes, skin and clothing. Avoid inhalation of dusts or vapors. Wear appropriate chemical protective clothing and equipment. Always wash thoroughly after handling. Handle with care and avoid contact.

STORAGE: Store only in approved containers. Keep container closed when not in use. Storage temperature should be above freezing and below 120°F.

#### SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

VENTILATION: Local exhaust ventilation is recommended. RESPIRATORY PROTECTION: None needed if

exposure limits are not exceeded.

SKIN PROTECTION: Wear rubber gloves that are chemical resistant to the material. EYE PROTECTION: Wear safety glasses with side shields or

safety goggles.

OTHER: Wash contaminated clothing before reuse. Do not take internally.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: Slightly yellow/orange

PHYSICAL STATE: Liquid
ODOR: Slightly acrid

pH: (Typical) 2.0
BOILING RANGE: N.D.
VISCOSITY: N.D.

EVAPORATION RATE (Butyl Acetate = 1)Slower than butyl acetate SPECIFIC GRAVITY (H2O = 1): 1.14 SOLUBILITY IN WATER, by wt.: 100 %

## **SECTION 10: STABILITY AND REACTIVITY**

CONDITIONS TO AVOID: Not known.

INCOMPATIBILITY: Strong oxidizing agents. Strong acids and bases.

HAZARDOUS DECOMPOSITION: Thermal decomposition products may include, but is not limited to Oxides of carbon.

Flammable

hydrogen gas can be generated when this product is reacted with certain metals.

HAZARDOUS POLYMERIZATION: Will not occur.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

No product animal LD50 or LC50 information is available. SKINTEX DATA: No information.

#### **SECTION 12: ECOLOGICAL INFORMATION**

ECOLOGICAL INFORMATION: N.D.

All ecological test results are based on the active ingredients in the product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Consult federal, state and local regulations in your area. Disposal of the waste is the responsibility of the generator.

### **SECTION 14: TRANSPORTATION INFORMATION**

DOT SHIPPING NAME: Cleaning Liquid. Not regulated

by DOT

NOTE: Not regulated if shipped in non-

aluminum containers (49 CFR

173.154(d))

# SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS:

SARA SECTION 311/312: IMMEDIATE HEALTH

HAZARD SARA SECTION 313:

CHEMICAL NAME CAS Hydrogen Chloride 7647-01-0

TOXIC SUBSTANCES CONTROL ACT: All components of this product are listed on the

TSCA Inventory. NEW JERSEY RIGHT-TO-KNOW:

The following regulated components are present:

CHEMICAL NAME CAS
Strong Acid Solution Cleaner Proprietary
Hydrogen Chloride 7647-01-0
PENNSYLVANIA RIGHT-TO-KNOW:

The following components are present at greater than 2%:

CHEMICAL NAME CAS
Strong Acid Solution Cleaner Proprietary

Grout Haze Remover | Best of Everything (BOE) - OMNI Sealers | Safety Data Sheet | 01 December 2021 |

Hydrogen Chloride 7647-01-0

CALIFORNIA PROPOSITION 65: Not

Applicable HAZARDOUS AIR POLLUTANTS

(HAP):

This product contains a component that is considered HAP:

CHEMICAL NAME CAS
Hydrogen Chloride 7647-01-0
NC TOXIC AIR POLLUTANT (TAP):

This product contains a component that is considered TAP:

CHEMICAL NAME CAS Hydrogen Chloride 7647-01-0

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCE (EHS):

This product contains a component that is considered EHS:

CHEMICAL NAME CAS EHS RQ (lbs) Hydrogen Chloride 7647-01-0 5000.00

INTERNATIONAL REGULATIONS:

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings. CANADIAN WHMIS CLASS: No information available.

German Consumer Protection Act – Approved. Oeko-Tex Standard 100 – Approved.

# OTHER: Components of this product are Canadian DSL listedSECTION 16: OTHER INFORMATION

All terms and abbreviations have been defined in various government publications, or are standard chemical terms used by IUPAC.

The data and recommendations herein are based upon our research and the research of others, and are believed to be accurate. However, no warranty or guarantee of their accuracy is made; and the products are distributed without warranty, expressed or implied, included the limited warranties of merchantability of fitness for particular purpose.

Neither this data sheet nor any statement contained herein grants or extends any license, express or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The manufacturer makes no warranties, express or implied, as to the accuracy or adequacy of the information contained herein. The manufacturer shall not be liable to the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with this accuracy, adequacy or furnishing of such information.