

GROUT SEALER

Material Safety Data Sheet

24-HOUR CHEMICAL EMERGENCIES SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 (Outside US 703-527-3887)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GROUT SEALER

PRODUCT USE: Sealer

MANUFACTURE/SUPPLIER: OMNI Sealers, Inc.

Address: 22362 Gilberto Street, Suite 215

Rancho Santa Margarita, CA 92688

PHONE: 949-709-5270

SECTION 2: HAZARDOUS IDENTIFICATION

NFPA 704 CODES: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious and 4=Severe

	Health	Flammability	Reactivity	Clothing
	(blue)	(red)	(yellow)	
NFPA	1	0	0	В
HMIS	1	0	0	В

EMERGENCY OVERVIEW:

Caution — May Cause Eye Irritation — May Cause Skin Irritation Likely Routes of Exposure:

EYE: May cause eye irritation. Seek medical

attention.

SKIN: May cause skin irritation. Seek medical

attention.

INHALATION: May cause irritation to upper respiratory

tract. Seek medical attention.

INGESTION: May be harmful if swallowed. Do not take

internally. Seek medical attention.

SIGNS & SYMPTOMS: Eye discomfort or pain, excessive blinking

and tear production with marked redness and swelling. Skin redness, edema, drying or cracking. Stomach distress, nausea or

vomiting.

CHRONIC EFFECTS: Repeated prolonged contact may dry skin

and cause irritation.

OTHER EFFECTS: May aggravate preexisting skin, eye and

respiratory conditions.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS#	% By Wgt*
Dimethyehydropolysiloxane	68037-59-2	<6%
Triethoxysilane	2943-75-1	<6%
Trace Chemicals	n/a	<1%
Water	7732-18-5	Water

^{*} The concentrations shown with this product are maximum levels (Wgt %) to be used for regulatory calculations.

SECTION 4: FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of

water for at least 15 minutes. If irritation or adverse symptoms occur, seek medical

attention.

SKIN CONTACT: If irritation occurs, wash off immediately

with soap and plenty of water. If irritation or adverse symptoms occur, seek medical attention. Wash clothes before re-use.

INHALATION: Remove to fresh air. If breathing is

difficult, seek immediate medical

attention.

INGESTION: Do not induce vomiting unless directed by

a physician. Drink large quantities of water. If irritation or adverse symptoms

occur seek medical attention.

GENERAL Advice: If adverse symptoms persist or in all cases

of doubt, seek medical attention.

Symptoms may not appear immediately.

SECTION 5: FIRE FIGHTING MEASURES

FLAMMABILITY: Not flammable by OSHA/WHMIS criteria.

Does not support combustion.

MEANS OF Use extinguishing measures that are EXTINCTION: appropriate to local circumstances and the

surrounding environment.

PRODUCT OF May include, but not limited to carbon

COMBUSTION: oxides, nitrogen oxides, hydrogen,

formaldehyde and silicon dioxide. These materials should be considered irritants.

EXPLOSION DATA: Not considered an explosive hazard.

FIREFIGHTING DATA: Keep upwind of fire. Wear self-contained

breathing apparatus and full protective clothing. Heated closed containers may burst due to steam pressure. Cool with

water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Environmental: Keep out of drains, sewers, ditches and

waterways.

CONTAINMENT: Use inert material to dike/absorb.

CLEAN-UP: Transfer material to suitable containers for

disposal.

OTHER: Contact CHEMTREC 800-424-9300

SECTION 7: HANDLING AND STORAGE

HANDLING: No special handling is required under normal use.

Appropriate protective clothing necessary to prevent repeated or prolonged skin contact should be worn.

Skin contact should be minimized by wearing impermeable gloves. Resistant boots should be worn where spills or splashing can occur. Wash hands and other contaminated areas thoroughly with soap and water after handling this product and before eating or smoking. Wash contaminated clothing thoroughly

STORAGE: Keep out of reach of Children. Store in original

container only and close after each use. Temperature should be between 40° F and 100° F (4° C and 38° C).

Shelf-life expected to be at least 1 year.

OMNI Sealer MSDS: GROUT SEALER Prepared: 4/1/2013 Page 1 of 2

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

EXPOSURE LIMITS:

OSHA-PEL: Not Determined ACGIH-TLV: Not Determined

ENGINEERING: Use ventilation adequate to keep

exposures below recommended exposure

limits.

EYE PROTECTION: Wear eye/face protection. HAND PROTECTION: Wear suitable gloves.

SKIN PROTECTION: Wear suitable protective clothing.

If insufficient ventilation, wear respiratory RESPIRATORY:

equipment.

GENERAL HYGIENE: Handle according to established industrial

hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Clear Liquid **APPEARANCE:** COLOR: Milky White ODOR: Low Odor PHYSICAL STATE Liquid 5.0 PH (TYPICAL):

VISCOSITY: Similar to Water FREEZING POINT: <32°F, 0°C **BOILING POINT:** >212°F, 100°C FLASH POINT: Not Applicable Similar to Water **EVAPORATION RATE:** VAPOR PRESSURE: 17.5 MM HG **DENSITY:** 1 g/cc SPECIFIC GRAVITY (H20)=1): SOLUBILITY IN WATER, BY WEIGHT: 100% PERCENT VOLATILE BY WEIGHT: 7.5% 7.5% PERCENT VOLATILE BY VOLUME:

SECTION 10: STABILITY AND REACTIVITY

Stable under normal conditions. STABILITY: Avoid temps. $<40^{\circ}$ F and $>100^{\circ}$ F. **CONDITIONS TO AVOID:** INCOMPATIBLE MATERIALS: May react to bases, acids and

oxidizers.

HAZARDOUS DECOMPOSITION May include, but not limited to PRODUCTS:

carbon oxides and silicone

<25 g/l

dioxide.

POSSIBILITY OF HAZARDOUS No dangerous reactions known

REACTIONS: under normal conditions.

VOC CONTENT BY WEIGHT:

SECTION 11: TOXICOLOGY INFORMATION

Minimize eye contact. Symptoms may EYE:

> include discomfort/pain, excessive blinking and tear production with marked redness and swelling. Seek medical attention.

SKIN: Minimize skin contact. Minimal effect on

skin. Symptoms may include redness, edema, drying and cracking. If irritation or adverse symptoms occur, seek medical

attention.

INGESTION: May be harmful if swallowed. Do not take

internally. Symptoms may include stomach distress, nausea or vomiting. Seek medical

attention.

INHALATION: May be an upper respiratory irritant. Avoid

breathing vapors or mist. Seek medical

attention.

HAZARD CATEGORIES: None of the product's ingredients are

found on any lists of hazardous,

carcinogenic or banned chemical agents or

materials generated by them.

SECTION 12: ECOLOGICAL INFORMATION

There is little or no risk to surrounding vegetation during application and contact with surrounding surfaces can be removed with soap and water.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of product in accordance with all local, state and federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT SHIPPING NAME (49CFR 172.101): Non-Regulated Liquid,

> NOS, Water Based Mixture of Siloxanes.

DOT ID# (49CFR 172.101): Non-Regulated **DOT HAZARD CLASS:** Non-Flammable

Liquid, NOS

MARKING: None Required LABEL: None Required PLACARD: None Required HAZARD (29 CFR 1910.1200): Non-Flammable INT'L HARMONIC SYSTEM CODE: 3209.9000 **UN N**UMBER Not Applicable

SECTION 15: REGULATORY INFORMATION

FEDERAL:

OSHA: This product is non-hazardous under the

OSHA Hazard Communication Standard (29

CFR 1910-1200).

TSCA: The ingredients in this product are on the

TSCA inventory list and do not have special

toxic warning requirements.

SARA TITLE III: Contains no chemical subject to SARA Title III

STATE

CA Prop. 65: This product contains no listed substances

at levels that would require a warning as a product known to cause cancer, birth defects or other reproductive harm.

MA RIGHT-TO-KNOW: This product contains no listed substances

at levels that require reporting per the

Substance List.

PA RIGHT-TO-KNOW: This product contains no listed substances

at levels that require reporting per the

Hazardous Substance List.

Section 16: Other Information

The information is believed to correct to the best of our knowledge, information, and belief at the date of publication. The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information applies only to this specific material as supplied and may not be valid for such material used in combination with any other materials or in any processes.

All terms and abbreviations have been defined in various government publications, or are standard chemical terms used by IUPAC.

OMNI Sealer MSDS: GROUT SEALER Prepared: 4/1/2013 Page 2 of 2